



WASHINGTON COUNTY

Dept. of Land Use & Transportation
Planning and Development Services
Current Planning
155 N. 1st Avenue, #350-13
Hillsboro, OR 97124
Ph. (503) 846-8761 Fax (503) 846-2908
<http://www.co.washington.or.us>

Please note: Incomplete plans will be returned to the applicant and will delay review and may incur additional fees.

For additional information regarding site plans, please contact Current Planning at (503) 846-8761 with questions.

Site Plan Checklist for URBAN Properties

[Washington County CDC](https://library.municode.com/or/washington_county/codes/community_development_code) link: https://library.municode.com/or/washington_county/codes/community_development_code

The site plan must be reviewed and approved by Current Planning prior to structural review for a building permit (except electronic submittals). All site plans shall be legible and drawn to a measurable scale (to show the entire property) on 11" x 17" sized paper (for depiction of detail and archive/scanning purposes).

➤ Site Plan Elements.

- Size the drawing to fit on 11" x 17" sized paper at a measurable (and legible) scale.
- Indicate a North arrow.
- Show the boundary line of the entire site with dimensions according to recorded documents (plat)
- Provide the legal description (tax map and parcel number or recorded plat name/lot number).
- Provide an assigned address (from the Survey Division).
- Provide approved land use casefile number(s).
- Show/label foundation and parcel corner elevations with contours at 2-foot intervals.
- Show and label all recorded easements (contact Washington County Assessment & Taxation or a Title Company to confirm), or state "No easements exist on this property."
- Show and label curb, sidewalk, planter strip, storm drains & private streets as approved on engineered plans.
- Show street trees: average 1 tree per 35' lineal feet of frontage (see Street Tree handout).
- Show and label all existing/proposed driveway approaches.
- Show and label utility lines, poles, boxes & vaults. Show sewer or septic lines.
- Show and label water lines, meters, wells, fire hydrants and mailboxes.

➤ Setbacks & Dimensions. Clearly indicate and dimension all proposed setbacks. *All setbacks shall comply with the site's land use district setback minimums and CDC §418-1 (obstruction in required yards) and §418- 2 (additional setbacks required for future right-of-way). Setbacks are measured from the property line, sidewalk, or easement for public travel, whichever is closer to the building line.*

- State the land use district (zoning) with a list of minimum setback requirements specific to the subject parcel. Include any modifications approved through a land use process.
- Show and label all existing and proposed structures with proposed setback dimensions on all sides.
- Show, label, and provide setback dimensions for cantilevered floors, decks, stairs, covered porches/patios.
- Show, label, and provide setback dimensions to open balconies, bay windows, chimneys, recessed elements.
- Provide maximum building height on the elevations sheet. The vertical distance measured from adjoining curb level to the mean height level between the eaves and edge of a gable, hip or gambrel roof; provided however, that where buildings are set back more than the required setback from the street line the height of the building shall be measured from the (average) building grade. CDC 106-101.1.
- Show, label, and dimension retaining walls and fences (may be subject to separate review and permits).
- Provide screening & buffering or indicate & dimension required outdoor yard area (when applicable).
- Show, label, and provide size/dimension of eaves, cornices, belt courses, sills, canopies or other similar architectural features to encroach no more than 2 inches per foot of setback into a required side yard, and not more than 30 inches into a front or rear yard per CDC §418-1.

➤ Unique Elements. When applicable for the subject lot, state on both the site plan and the elevations sheet:

- Provide North Bethany Subarea Special Frontage Category requirements.
- Provide North Bethany Subarea Planned Development Standards CDC §390-17 Provide North Bethany Subarea Building Design & Variety CDC §390-20.
- Provide other façade standards (i.e. Transit Corridors and Transit Oriented Districts).

NOTE: For new single-family residential dwellings or as a condition of land use approval, a Right-of-Way Permit for access is required prior to issuance of a building permit. Contact the Operations Division at 503-846-ROAD (7623) with questions or use the ROW Permit portal at: <https://www.co.washington.or.us/LUT/Divisions/Operations/Permits/row-permits.cfm>.